

Glutaric Acidemia, Type II
(Late or Mild onset)
(AKA Multiple Acyl CoA Dehydrogenase Deficiency)
>18 years

Clinic Visits:

- Every 3 years

Laboratory studies:

- At clinic visits:
 - Carnitine levels
- Yearly
 - Comprehensive metabolic panel

During illness:

- Call Metabolic Clinic to alert them that you are sick
 - Poor feeding, fever, vomiting, and/or lethargy
- Take glucose gel or polymer solution if needed (or instructed to do so)
- If you are not able to keep down glucose containing fluids, you will need to go to the emergency room for IV 10% dextrose (glucose)
- Be sure to bring Emergency Room letter with you to the hospital
- Labs during illness include: comprehensive metabolic panel
- Please alert the Metabolic Clinic if you need surgery
- Wear a medic alert bracelet!**

Evaluations:

- Possible brain MRI is needed

Topics:

- Review of biochemistry and genetics of GA II /MADD deficiency
- Diet/management
 - Avoid fasting
 - Management during illness
 - Carnitine supplementation
 - Riboflavin supplementation

Please make sure you have clinic visits and levels done on time. Call the metabolic clinic at _____ to make an appointment, schedule a blood draw, or with any other questions. If you urgently need to reach a metabolic physician, call _____ and ask to page the metabolic physician on call.

Thank You,
Your Metabolic Team

